


# САНДОСТАТИН® ЛАР® ДЕМОНСТРИРУЕТ НЕПРЕВЗОЙДЕННУЮ ЭФФЕКТИВНОСТЬ. БЕСПРЕЦЕДЕНТНЫЕ ДОКАЗАТЕЛЬСТВА

**ДОКАЗАНА ДОЛГОВРЕМЕННАЯ  
ЭФФЕКТИВНОСТЬ В УСТРАНЕНИИ  
СИМПТОМОВ И ЗАДЕРЖКЕ  
ДАЛЬНЕЙШЕГО РОСТА  
НЕЙРОЭНДОКРИННЫХ  
ОПУХОЛЕЙ<sup>1-4</sup>**



Подтвержденный беспрецедентными свидетельствами Сандостатин® ЛАР® является препаратом пролонгированного действия для лечения симптомов функциональных нейроэндокринных опухолей желудочно-кишечного тракта и поджелудочной железы<sup>3,4</sup>

Литература: 1. Rubin J, Ajani J, Schirmer W, et al. Octreotide acetate long-acting formulation versus open-label subcutaneous octreotide acetate in malignant carcinoid syndrome. *J Clin Oncol.* 1999;17:600-606. 2. Arnold R, Trautmann ME, Creutzfeldt W, et al. Somatostatin analogue octreotide and inhibition of tumour growth in metastatic endocrine gastroenteropancreatic tumours. *Gut.* 1996;38:430-438. 3. Sandostatin® LAR® Basic Prescribing Information. Novartis Pharma. 4. Data on file, Novartis Pharma. 5. Vinik AI, Renar IP. Neuroendocrine tumors of carcinoid variety. In: DeGroot LJ, Besser M, Burger HG, et al, eds. *Endocrinology*. 3rd ed. Philadelphia, Pa: W.B. Saunders Company; 1995:2803-2814. 6. Jensen RT, Doherty GM. In: *Cancer: Principles & Practice of Oncology*, 6th ed. Lippincott Williams & Wilkins; 2001:1813-1833. 7. Oberg K. In: *Williams Textbook of Endocrinology*. 10th ed. Saunders; 2003:1857-1876. 8. Ruzsiewicz P, Ish-Shalom S, Wymenga M, et al. Rapid and sustained relief from the symptoms of carcinoid syndrome: results from an open 6-month study of the 28-day prolonged-release formulation of lanreotide. *Neuroendocrinol.* 2004;80:244-251. Epub 2004 Dec 22. 9. PubMed [database online]. National Center for Biotechnology Information. Available at <http://www.ncbi.nlm.nih.gov>. Accessed January 17, 2008. 10. Plockinger U, Wiedenmann B. Management of metastatic endocrine tumours. *Best Pract Res Clin Gastroenterol.* 2005;19:553-576. 11. Modlin IM, Oberg K, Chung DC, et al. Gastroenteropancreatic neuroendocrine tumours. *Lancet Oncol.* 2008;9:61-72. 12. IMS Health Midas Sales (PADDS), December 2007. 13. Verispan's IMS Data Report to Novartis, 2007.



©2010 Novartis  
[www.Sandostatin.com](http://www.Sandostatin.com)



ЭФФЕКТИВНОСТЬ, ПОДТВЕРЖДЕННАЯ ФАКТАМИ.

За более подробной информацией обращайтесь в Представительство в Украине «Новartis Фарма Сервисез АГ»:  
02098, г. Киев, ул. Березняковская, 29. Тел.: (044) 490-53-38, факс: (044) 490-53-39.

0755 UA-C2-2010 от 26.11.2010